EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"Complete sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:23
S2	0	"partial seqence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:23
S3	0	"partial sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:23
S4	0	PSNP same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:24
S5	187	CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:24
S6	5	PSNP and CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:42
S7	186	((dummy or null or empty) near3 (packet$1 or message$1)) same node$1 same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:51
S8	6	(((dummy or null or empty) near3 (packet$1 or message$1)) same node$1 same network) same (offline or recover$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:47
S9	8	(((dummy or null or empty) near3 (packet$1 or message$1)) same node$1 same network) and heartbeat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:48

EAST Search History

S10	15	(((dummy or null or empty) near3 (packet$1 or message$1)) same node$1 same network) and (heartbeat or hello or PSNP or CSNP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:48
S11	10	(((((dummy or null or empty) near3 (packet$1 or message$1)) same node$1 same network) and (heartbeat or hello or PSNP or CSNP)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:59
S12	0	("IS-IS" and @ad<"20010427") and PSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:00
S13	1	("IS-IS" and @ad<"20010427") and CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:00
S14	25	709/238,242.ccls. and 714/4.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/18 14:07
S15	22	(709/238,242.ccls. and 714/4.ccls.) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:44
S16	1084	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 10:14
S17	1983	709/238,242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 10:14
S18	546	370/216.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/19 10:14
S19	637	370/254.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/19 10:14
S20	50	709/238,242.ccls. and (370/216. ccls. or 370/254.ccls.)	US-PGPUB; USPAT	OR	OFF	2004/08/19 10:14
S21	47	(709/238,242.ccls. and (370/216. ccls. or 370/254.ccls.)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 10:27

EAST Search History

S22	4	714/4.ccls. and ("IS-IS" and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:34
S23	173	"IS-IS" and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:45
S24	5646	(dummy or null or empty) near3 (packet$1 or message$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22
S25	7	"IS-IS" and ((dummy or null or empty) near3 (packet$1 or message$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22
S26	5	("IS-IS" and ((dummy or null or empty) near3 (packet$1 or message$1))) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22
S27	303	"IS-IS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:45
S28	4	"IS-IS" same heartbeat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:46
S29	25	"IS-IS" same (restart$3 or recover$3 or reboot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:47
S30	12	("IS-IS" same (restart$3 or recover$3 or reboot$3)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 20:39
S31	8	PSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 14:18

EAST Search History

S32	1	PSNP and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 14:19
S33	8	"partial sequence number"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 14:19
S34	3	"partial sequence number" and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 18:58
S35	0	reference near2 ((node or address or device) near2 (existen$2 or non-existen$2)) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 18:59
S36	353	((node or address or device) near2 (existen$2 or non-existen$2)) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 19:00
S37	45	(((node or address or device) near2 (existen$2 or non-existen$2)) same network) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 20:32
S38	34	((((node or address or device) near2 (existen$2 or non-existen$2)) same network) same packet) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 19:00
S39	7	PSNP and CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:19
S40	4	714/4.ccls. and (("IS-IS" or CSNP) and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:34
S41	54	709/238,242.ccls. and (370/216.ccls. or 370/254.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/05/17 18:47
S42	5	csnp and @pd>"20040907" and @ad<"20010427"	US-PGPUB; USPAT	OR	OFF	2005/05/26 17:43

S43	6988	((dummy or null or empty) near3 (packet$1 or message$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:51
S44	3623	((dummy or null or empty) near (packet$1 or message$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:51
S45	3	"Complete sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:44
S46	0	"partial seqence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S47	238	CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S48	242	S45 S46 S47 psnp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S49	0	S48 same S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S50	0	S48 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:52
S51	1	S44 and IS-IS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:53
S52	9052	routing near (table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:53

EAST Search History

S53	9	S52 same S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:53
S54	5	S53 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:53
S55	13	((((dummy or null or empty) near3 (packet$1 or message$1)) same node$1 same network) and (heartbeat or hello or PSNP or CSNP)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:14
S56	13	S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:59
S57	45	("5093824" | "5412376" | "5590118" | "5596722" | "5646936" | "5687167" | "5737319" | "5781528" | "5805578" | "5805593" | "5835696" | "5881048" | "5881246" | "5884297" | "5920257" | "5933425" | "5959972" | "5987526" | "5995503" | "5999286" | "6041049" | "6047331" | "6075766" | "6097696" | "6097722" | "6115753" | "6130881" | "6134671" | "6148000" | "6154778" | "6259673" | "6272107" | "6275492" | "6282170" | "6301244" | "6304549" | "6347078" | "6370119" | "6400681" | "6430150" | "6457050" | "6463062" | "6504845").PN. OR ("6856627"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/21 16:01
S58	129	((((dummy or null or empty) near3 (packet$1 or message$1))) and (heartbeat or hello or PSNP or CSNP)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:15

EAST Search History

S59	116	S58 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:15
S60	32	("5129082" | "5249268" | "5265092" | "5276871" | "5280498" | "5479654").PN. OR ("5742820").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/21 16:44
S61	9	("4667324" | "4736363" | "5159595" | "5473599" | "5519704" | "5608733" | "5699351" | "6205142" | "6229819").PN. OR ("6590868"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/22 12:58
S62	5	714/4.ccls. and ("IS-IS" and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 13:33
S63	106	714/4.ccls. and ((heartbeat or hello) and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 13:33
S64	9	"link state" same csnp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/23 14:40
S65	3	S64 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/23 14:43
S66	248	"Complete sequence numbers packet" or csnp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:44
S67	44	S66 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:45
S68	5	("5754547" | "6553423" | "6597663" | "6683865").PN. OR ("6820134").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 19:25

EAST Search History

S69	1	(((node or address or device) near2 (existen$2 or non-existen$2 or null or dummy or empty)) same network) same rout$3 near database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 20:33
S70	11	(((node or address or device) near2 (existen$2 or non-existen$2 or null or dummy or empty)) same network) same rout$3 near (database or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:41
S71	139	((rout$3 near (table or database)) same (restart$3 or recover$3 or reboot$3)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:40
S72	2633	709/238,242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:25
S73	96	S72 and @ad<"20010427" and @pd>"20050501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:33
S74	1402	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:33
S75	23	S74 and @ad<"20010427" and @pd>"20050501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:36
S76	706	370/216.ccls.	US-PGPUB; USPAT	OR	OFF	2005/12/01 21:36
S77	991	370/254.ccls.	US-PGPUB; USPAT	OR	OFF	2005/12/01 21:36
S78	57	(S76 S77) and @ad<"20010427" and @pd>"20050501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:45
S79	1329	((rout$3 near (table or database)) same (updat$3)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:40

EAST Search History

S80	4	(((node or address or device) near2 (existen$2 or non-existen$2 or null or dummy or empty)) same network) same (restart$3 or recover$3 or reboot$3 or updat$3) same rout$3 near (table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:45
S81	71	(((node or address or device) near2 (existen$2 or non-existen$2 or null or dummy or empty)) same network) same (restart$3 or recover$3 or reboot$3 or updat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:45
S82	35	S81 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 21:45
S83	4	"Complete sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 14:28
S84	531	"link state" with (database or storage or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 14:29
S85	189	S84 same (updat$3 or refresh$3 or restart$3 or reboot$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 14:31
S86	71	S85 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:08
S87	550	709/237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:09
S88	24	(complete near sequenc$3) near2 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:10

EAST Search History

S89	4	(partial near sequenc$3) near2 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:10
S90	2	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:13
S91	550	709/237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:14
S92	53277	"714"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:14
S93	54	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:14
S94	20	"L54" and (709/238-243.ccls. or "370"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:14
S95	22	S93 and (709/238-243.ccls. or "370"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:15
S96	21	S95 and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 15:15
S97	2	("6820134").URPN.	USPAT	OR	OFF	2006/06/10 15:43